



STAUFF Pressure Test Kit Analogue - 3 Gauges

Product Description

SMB test kit from the STAUFF Test 20 series with three analogue SPG bourdon-tube pressure gauges (63 mm diameter). Includes 2 m long test hose, gauge adaptors, direct gauge adaptors, test couplings, reducing adaptors in a compact and sturdy portable case - ideal for hydraulic system maintenance and service.

Product Features

Analogue Gauges

- Suitable for mineral oil based fluids
- 1 x Pressure Gauge 0-16 bar (0-232) PSI
- 1 x Pressure Gauge 0-160 bar (0-2320) PSI
- 1 x Pressure Gauge 0-400 bar (0-5801) PSI

Accessories

- Zinc/Nickel plated couplings and adaptors
- Includes six Test 20 couplings and five adaptors in various sizes
- 2 x 2 m Test hose pressure-resistant to 600 bar

Case

- Lightweight with carry handle and locking latches
- Robust hard plastic material
- Additional storage compartments
- Oil resistant foam



Item No:

6100061554

Item Designation:

SMB-20-3-010/160/400-W3

\$450.00 EACH
RRP: \$856.86

Valid until 30th June 2025 or until stock is sold

Terms and Conditions: For account customers only.

All sales are final - special items are not returnable for credit. Subject to GST.

Visit us at Site E130c

STAUFF Digital Pressure Test Kit

Product Description

The SMB-DIGI pressure test kit can be assembled in various combinations of pressures, including various test couplings and adaptors. All components are supplied in a protective lightweight case.

Product Features

DIGI Gauge

- Suitable for mineral oil based fluids
- 1 x Digital Pressure Gauge 0-400 bar (0-5801) PSI
- Bar graph display (with LED drag indicator)
- Changeable pressure units: bar, PSI, MPa, kPa, mbar
- Backlit display
- Zero correction
- Battery status indicator
- Gauge swivels 360°

Accessories

- Zinc/Nickel plated couplings and adaptors
- Includes Test 20 couplings and adaptors in various sizes
- 2 m Test hose pressure-resistant to 600 bar

Case

- Lightweight with carry handle and locking latches
- Robust hard plastic material
- Additional storage compartments
- Oil resistant foam



Item No:

1810000249

Item Designation:

SMB-DIGI-20-B0400-B

\$725.00 EACH
RRP: \$824.36

Valid until 30th June 2025 or until stock is sold

Terms and Conditions: For account customers only.

All sales are final - special items are not returnable for credit. Subject to GST.

Visit us at Site E130c

STAUFF Serviceline Plugs MIXBOX

Product Description

STAUFF Serviceline plugs offer an environmental and material protection system preventing oil and chemical spills and leakages.

Product Applications

Applications in hydraulic maintenance, heavy industry, offshore, forestry, construction, lifting, shipping, demolition, military, transportation, automotive, motorcycles.

Product Features

- Minimises spillage
- Provides dust free protection
- Re-usable
- Wipes clean
- Quick and easy 3 step installation:
(1) Insert (2) Push (3) Push & Twist
- Ideal tool for professional hose fitters
- No additional tools required for assembly
- Easy identification – bright yellow colour
- Packaged in re-closable blister packs
- Resistance to most oils and chemicals



Packaging Quantity:

MIXBOX consists of: 4 x MICRO (1-10 mm)
4 x STD (5-22 mm)
2 x XL (13-42 mm)

Item No:

2020076472

Item Designation:

SSP-01/42-YE-MIXBOX

\$80.00 PER KIT
RRP: \$176.28

Valid until 30th June 2025 or until stock is sold

Terms and Conditions: For account customers only.

All sales are final - special items are not returnable for credit. Subject to GST.

Visit us at Site E130c

STAUFF Analogue Flow Indicator Kit Series SDMKR - 200 LPM

Product Description

STAUFF SDMKR series analogue flow indicators for measuring the flow rate of fluids in mobile and industrial hydraulics.

The SDMKR is designed with a loading valve for the strain test of the hydraulic system to facilitate precise control of the operating pressure. In addition, this product can also be subjected to a reverse flow direction (without flow rate determination).



Product Features

- Suitable for mineral oil (aluminium)
- Designed for in-line installation
- Mechanical flow measurement
- Controlling working pressure with a pressure control valve
- Flow indication in l/min and GPM for aluminium units
- Built-in dual scale thermometer
- Safety over pressure discs
- No electrical power
- Smooth pressure control
- Reverse flow

Product Specifications

- Flow: 10-200 lpm (4-53 GPM)
- Pressure: 0-420 bar (6091 psi)
- Accuracy within 4% Full Scale Deflection (FSD)
- Port connection G1" BSPP
- Aluminium block, internals mainly brass, Viton seals
- Weight - 6.6 kg

Item No:

1910020792

Item Designation:

SDMKR-750-A-200-T

\$2,585.00 PER SET
RRP: \$2,956.41

Valid until 30th June 2025 or until stock is sold

Terms and Conditions: For account customers only.

All sales are final - special items are not returnable for credit. Subject to GST.

Visit us at Site E130c